FRIDAY KICKED OFF WITH TH



THE REVOLUTIONARY DESIGN INTRODUCED BY PROCREA

POWERED WITH **(AI) ARTIFICIAL INTELLIGENCE** NEAR VISION BEHAVIOUR CUSTOMIZATION EXTREMELY MINIMIZED ABERRATIONS MINIMAL ADAPTATION REQUIRED



procreatech.com

## INNOVATIVE HIGH-END DESIGN POWERED WITH AI NEAR VISION BEHAVIOUR CUSTOMIZATION EXTREMELY MINIMIZED ABERRATIONS

## CREA ANIMA

**ANIMA** is the revolutionary design introduced by ProCrea in the market. It is powered with **AI** (Artificial Intelligence) to satisfy design quality constraints and provide extreme clear vision and comfort.

**ANIMA** is the first completely customized progressive lens, generated by a meticulous algorithm called **DNA PATCH CALCULATION** that re-elaborates the visual parameters by adding an innovative patch based mathematical model.

**ANIMA**, thanks to **PUPYL OPENING TECHNOLOGY**, allows to support the mydriasis process ensuring natural and comfortable vision.

When associated with **I-check** the calculation **AI** engine takes into account the near interpupillary distance, for inset optimization and the near vision behavior measured by the application, in order to get the perfect geometry for the wearer with minimal adaptation needs.

Moreover with **MAX VOLUME** technology, the wearer perceives an increase of the vision field (in depth and width) and thus an efficient volume increase.

TECHNOLOGIES







**DESIGN PARAMETERS** 



## **POWER MAP**

**CYLINDER MAP** 

**TECHNICAL SPECS** 



PERFORMANCE





| Market Segment       | Туре     | Allowed Materials | Precalibration | Personalization |
|----------------------|----------|-------------------|----------------|-----------------|
| High-end progressive | Adaptive | All               | Yes            | Yes             |

| Prism Ref. Po<br>(PRP)                            | oint       | Distance Ref. Point<br>(DRP) |                  | Layout Reference<br>Point (LRP) |                 | Inset              | Near Ref. Point<br>(NRP)   |            |
|---|------------|------------------------------|------------------|---------------------------------|-----------------|--------------------|----------------------------|------------|
| Geometrical<br>Center<br>Allowed Rang<br>0 - 12mm | e:         | +10 m                        | ım               |                                 | +4 mm           | 1                  | 0 - 4 mm<br>smart<br>inset | 12 - 18 mm |
| Min. Fitting<br>Height                            | Ma:<br>Dia | x.<br>meter                  | Sphere<br>Range  |                                 | /linder<br>ange | Addition<br>Range  |                            |            |
| 14 - 20 mm  | 80         | mm                           | -30 / +25<br>dpt | -8<br>di                        | 8 / +8<br>ot    | 0.75 / 4.50<br>dpt | _                          |            |





via dei calafati 9/A 70056 Molfetta (Bari) Italy ph. +39 080 919 09 30 fax +39 080 919 09 25 info@procreatech.com procreatech.com