CREA FAMILY

great PAL design for small frame



BASIC DESIGN SHORT CORRIDOR OPTIMIZED FOR SMALL FRAMES MINIMUM UNWANTED ASTIGMATISM

CREA FAMILY SHORT

When you have a small frame, you need a good short corridor design and Crea Family Short is the ideal product.

It is a basic design with 12mm corridor and minimum fitting height of 14mm.

The special design concept behind it allows to keep a good performance for distance and near zones and a generous corridor width, despite its shortness. Unwanted astigmatism, as well, is reduced to the minimum. Calculation is based on nominal power.



DESIGN PARAMETERS



POWER MAP

CYLINDER MAP



PERFORMANCE





Market Segment	Туре	Allowed Materials	Precalibration	Personalization
Basic progressive	Soft	All	Yes	No

Prism Ref. Po (PRP)	oint	Distance Ref. Point (DRP)		Layout Reference Point (LRP)		Inset	Near Ref. Point (NRP)	
Geometrical Center Allowed Rang 0 - 12 mm	e:	+10 mm		+4 mm		0 - 4 mm auto inset	12 mm	
Min. Fitting Height	Ma Dia	x. meter	Sphere Range		/linder ange	Addition Range		
14 mm	80	mm	-30 / +25 dpt	-8 dp	5 / +8 ot	0.75 / 3.50 dpt	_	





via dei calafati 9/A 70056 Molfetta (Bari) Italy ph. +39 080 919 09 30 fax +39 080 919 09 25 info@procreatech.com procreatech.com